PAC 18 (Poly Aluminum Chloride 18%)

DESCRIPTION

PAC 18(Poly Aluminium Chloride 18%) is iron-free, and is completely safe to the environment.

Applications

International environmental regulations set strict rules as to the oil content in effluent water from ships. To meet these regulations, a combination of mechanical and chemical cleaning is necessary.

PAC 18(Poly Aluminium Chloride 18%)is used in combination with multistage bilge water cleaning systems that include mechanical separation of free oil, emulsion breaking, flocculation and filtration. After dosing, PAC 18(Poly Aluminium Chloride 18%) breaks the oil-in-water emulsion created by contaminants in lubricating and fuel oils, emulsifying cleaning agents etc. It then destabilizes the remaining small oil droplets and agglomerates them into larger particles that are easily collected by filtering.

Directions for use

Dosing method

Typical dose rate: 100 - 500ppm (0.1 - 0.5 litre/m3 of water) In a multistage bilge water cleaning system, PAC 18(Poly Aluminium Chloride 18%) is fed undiluted through a dosage pump connected to the pressure side of the oil descaler. The floc tank is fed according to the flow of the bilge water pumped into it. The feed is adjusted in connection with the installation and normally needs no alteration. If required, dosing can also be controlled by measuring the level in the container.

Code: 161162318



PAC 18 (Poly Aluminum Chloride 18%)

iron-free, and is completely safe to the environment.

Features

- Cost-effective bilge water treatment based on specially selected Poly Aluminium Chloride
- Iron-free. Completely safe to the environment
- Acts by both breaking the oil-in-water emulsion and by building flocs
- Remaining oil sludge can be burned onboard or pumped ashore-contains very little water
- Approved by manufacturers of bilge water cleaning systems

Benefits

- Helps to meet environmental regulations on oil content. Discharged water contains normally less than 3 ppm oil
- Low dosage, economical use
- Effective over an extended pH-range.
 Eliminates the use of pH-stabilising chemicals

PRODUCT CHARACTERISTICS

Appearance: Clear

Density [g/ml]: 1,30 - 1,36 Form: Liquid

pH: 1,0



This information is not to be taken as a warranty or representation for which we assume legal responsibility, nor as permission, inducement or recomprehedation to practice any patented invention without a licence. The information is offered solely for your consideration, investigation and verification.