

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : O&G DESCALING POWDER
Product code : UNIM005
Type of product : Acidic cleaner
Product group : Blend

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

No additional information available

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

UNIMARINE SERVICES INC.
60 MARKET SQUARE
PO BOX 364
BELIZE CITY
T +35725331054
info@unimarine-services.com

1.4. Emergency telephone number

Emergency number : +35725331054

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315
Serious eye damage/eye irritation, Category 2 H319
Hazardous to the aquatic environment — Chronic Hazard, Category 3 H412
Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

Causes skin irritation. Causes serious eye irritation. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

Signal word (CLP) : Warning
Hazard statements (CLP) : H315 - Causes skin irritation
H319 - Causes serious eye irritation
H412 - Harmful to aquatic life with long lasting effects
Precautionary statements (CLP) : P264 - Wash hands thoroughly after handling
P273 - Avoid release to the environment
P280 - Wear protective gloves, eye protection
P302+P352 - IF ON SKIN: Wash with plenty of water
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

2.3. Other hazards

No additional information available

O&G DESCALING POWDER

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Sulfamic acid	(CAS No) 5329-14-6 (EC No) 226-218-8 (EC Index No) 016-026-00-0 (REACH-no) 01-2119488633-28	50 - 100	Xi; R36/38 R52/53	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 3, H412

Full text of R- and H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: If medical advice is needed, have product container or label at hand.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth out with water. Do NOT induce vomiting. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after skin contact	: Irritation.
Symptoms/injuries after eye contact	: Eye irritation.
Symptoms/injuries after ingestion	: May cause irritation to the digestive tract.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire	: Toxic fumes may be released.
--	--------------------------------

5.3. Advice for firefighters

Firefighting instructions	: Exercise caution when fighting any chemical fire.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes.
----------------------	--

6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
----------------------	---

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Mechanically recover the product.
Other information	: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

O&G DESCALING POWDER

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.
- Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store in a well-ventilated place. Keep cool. Store in a dry place.
- Incompatible products : Strong acids. Oxidizing agent. Strong bases.
- Incompatible materials : aluminium. zinc.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

- Physical state : Solid
- Appearance : Crystalline powder.
- Colour : white.
- Odour : odourless.
- Odour threshold : No data available
- pH : 1,2
- Relative evaporation rate (butylacetate=1) : No data available
- Melting point : 205 °C
- Freezing point : Not applicable
- Boiling point : No data available
- Flash point : Not applicable
- Auto-ignition temperature : Not applicable
- Decomposition temperature : 209 °C
- Flammability (solid, gas) : Non flammable
- Vapour pressure : 0,00078 kPa
- Relative vapour density at 20 °C : No data available
- Relative density : Not applicable
- Density : 2,1 water = 1
- Solubility : No data available
- Log Pow : No data available

O&G DESCALING POWDER

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts violently with strong acids. React violently in contact with oxidation agents. Reacts exothermically with (some) bases.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

May react with bases, copper, silver, mercury, magnesium, zinc and their alloys. Reacts exothermically with (some) bases. Reacts vigorously with strong oxidizers and acids.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

acids and bases. aluminium. Oxidizing agent.

10.6. Hazardous decomposition products

SULPHUR DIOXIDE. ammonia. Nitrogen oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Sulfamic acid (5329-14-6)	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rat	> 2000 mg/kg

Skin corrosion/irritation	: Causes skin irritation. pH: 1,2
Serious eye damage/irritation	: Causes serious eye irritation. pH: 1,2
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: Harmful to aquatic life with long lasting effects.
Acute aquatic toxicity	: Not classified
Chronic aquatic toxicity	: Harmful to aquatic life with long lasting effects.

DESCALING POWDER	
LC50 fish 1	70,3 mg/l Pimephales promelas
EC50 Daphnia 1	71,6 mg/l Daphnia magna
EC50 72h algae (1)	48 mg/l Desmodesmus subspicatus
Sulfamic acid (5329-14-6)	
LC50 fish 1	70,3 mg/l 96 h, Pimephales promelas

O&G DESCALING POWDER

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Sulfamic acid (5329-14-6)	
EC50 Daphnia 1	71,6 mg/l 96 h, Daphnia magna
EC50 other aquatic organisms 1	48 mg/l 72 h Algae, Desmodesmus subspicatus

12.2. Persistence and degradability

DESCALING POWDER	
Persistence and degradability	Minimally biodegradable.

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.
 Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 2967
 UN-No. (IMDG) : 2967
 UN-No. (IATA) : 2967
 UN-No. (ADN) : 2967
 UN-No. (RID) : 2967

14.2. UN proper shipping name

Proper Shipping Name (ADR) : SULPHAMIC ACID
 Proper Shipping Name (IMDG) : SULPHAMIC ACID
 Proper Shipping Name (IATA) : Sulphamic acid
 Proper Shipping Name (ADN) : SULPHAMIC ACID
 Proper Shipping Name (RID) : SULPHAMIC ACID
 Transport document description (ADR) : UN 2967 SULPHAMIC ACID, 8, III, (E)
 Transport document description (IMDG) : UN 2967 SULPHAMIC ACID, 8, III
 Transport document description (IATA) : UN 2967 Sulphamic acid, 8, III
 Transport document description (ADN) : UN 2967 SULPHAMIC ACID, 8, III
 Transport document description (RID) : UN 2967 SULPHAMIC ACID, 8, III

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 8
 Danger labels (ADR) : 8



IMDG

Transport hazard class(es) (IMDG) : 8
 Danger labels (IMDG) : 8

O&G DESCALING POWDER

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



IATA

Transport hazard class(es) (IATA) : 8
 Hazard labels (IATA) : 8



ADN

Transport hazard class(es) (ADN) : 8
 Danger labels (ADN) : 8



RID

Transport hazard class(es) (RID) : 8
 Danger labels (RID) : 8



14.4. Packing group

Packing group (ADR) : III
 Packing group (IMDG) : III
 Packing group (IATA) : III
 Packing group (ADN) : III
 Packing group (RID) : III

14.5. Environmental hazards

Dangerous for the environment : No
 Marine pollutant : No
 Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : C2
 Limited quantities (ADR) : 5kg
 Excepted quantities (ADR) : E1
 Packing instructions (ADR) : P002, IBC08, LP02, R001
 Special packing provisions (ADR) : B4
 Mixed packing provisions (ADR) : MP10
 Portable tank and bulk container instructions (ADR) : T1
 Portable tank and bulk container special provisions (ADR) : TP33
 Tank code (ADR) : SGAV

O&G DESCALING POWDER

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Vehicle for tank carriage : AT
 Transport category (ADR) : 3
 Special provisions for carriage - Bulk (ADR) : VC1, VC2, AP7
 Hazard identification number (Kemler No.) : 80
 Orange plates :



Tunnel restriction code (ADR) : E
 EAC code : 2X

- Transport by sea

Limited quantities (IMDG) : 5 kg
 Excepted quantities (IMDG) : E1
 Packing instructions (IMDG) : P002, LP02
 IBC packing instructions (IMDG) : IBC08
 IBC special provisions (IMDG) : B3
 Tank instructions (IMDG) : T1
 Tank special provisions (IMDG) : TP33
 EmS-No. (Fire) : F-A
 EmS-No. (Spillage) : S-B
 Stowage category (IMDG) : A
 Properties and observations (IMDG) : White crystalline powder. Soluble in water. Decomposes when heated, evolving toxic fumes. Causes burns to skin, eyes and mucous membranes.

- Air transport

PCA Excepted quantities (IATA) : E1
 PCA Limited quantities (IATA) : Y845
 PCA limited quantity max net quantity (IATA) : 5kg
 PCA packing instructions (IATA) : 860
 PCA max net quantity (IATA) : 25kg
 CAO packing instructions (IATA) : 864
 CAO max net quantity (IATA) : 100kg
 ERG code (IATA) : 8L

- Inland waterway transport

Classification code (ADN) : C2
 Limited quantities (ADN) : 5 kg
 Excepted quantities (ADN) : E1
 Equipment required (ADN) : PP, EP
 Number of blue cones/lights (ADN) : 0

- Rail transport

Classification code (RID) : C2
 Limited quantities (RID) : 5kg
 Excepted quantities (RID) : E1
 Packing instructions (RID) : P002, IBC08, LP02, R001
 Special packing provisions (RID) : B3
 Mixed packing provisions (RID) : MP10
 Portable tank and bulk container instructions (RID) : T1
 Portable tank and bulk container special provisions (RID) : TP33
 Tank codes for RID tanks (RID) : SGAV
 Transport category (RID) : 3
 Special provisions for carriage – Bulk (RID) : VC1, VC2, AP7
 Colis express (express parcels) (RID) : CE11
 Hazard identification number (RID) : 80

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

O&G DESCALING POWDER

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

Germany

VwVwS Annex reference : Water hazard class (WGK) 1, low hazard to waters (Classification according to VwVwS, Annex 4)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of R-, H- and EUH-statements:

Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H315	Causes skin irritation
H319	Causes serious eye irritation
H412	Harmful to aquatic life with long lasting effects
R36/38	Irritating to eyes and skin
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment
Xi	Irritant

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product