UNIMARINE SERVICES INC.

. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME : LIME CLEANER PRODUCT TYPE : Cleaning product

COMPANY: UNIMARINE SERVICES INC.

60 MARKET SQUARE PO BOX 364, BELIZE CITY

Phone: 00357 25331054

Emergency phone: 00357 25331054

Email Address: info@unimarine-services.com

2. HAZARDS IDENTIFICATION



RISK : Corrosive R-34 Causes burns

CLASSIFICATION R-37 Irritating to the respiratory system

HUMAN HEALTH: Causes severe burns. Evolves toxic fumes in contact with oxidising

substances and with metals.

ENVIRONMENTAL: Harmful to aquatic organisms. Reduces the pH of water and soil.

HAZARDS

3. COMPOSITION/INFORMATION ON INGREDIENTS

1. Hydrochloric acid CASnr: 7647-01-0

2. Surfactants Mixture

4. FIRST AID MEASURES

INHALATION : Remove to fresh air. Keep the patient calm in an upright position. Transport

to a hospital.

SKIN: Take of contaminated clothing immediately. Wash the skin with large

amounts of water. Consult a physician.

EYE : Flush with large amounts of water. Seek medical advice.

INGESTION : Wash the mouth with water. Do **NOT** induce vomiting. Transport to a

hospital.

5. FIRE FIGHTING MEASURES

FLASH POINT: The product does not burn.

SPECIFIC HAZARDS: See under 9

EXTINGHUISING: No limitations.

MEDIA

6. ACCIDENTAL RELEASE MEASURES

CLEANING UP : Neutralise the spill with sodium bicarbonate. Absorb spills in sand, earth or

other inert material. Dispose of the material according to local regulations.

UNIMARINE SERVICES INC.

Scrub contaminated surfaces with detergent solution.

ENVIRONMENTAL: Prevent contamination of soil and water.

PRECAUTION Do not let down into the environment without thinning and neutralisation.

7. HANDLING AND STORAGE

HANDLING: Do not breathe vapours or mists. Use in well ventilated areas.

STORAGE : Keep in closed containers, in a dry place and frost free. Avoid contact with

caustics and with oxidising agents.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

 $\mathbf{MAK} \qquad \qquad \mathbf{:} \qquad \qquad 7 \text{ mg/m}^3.$

PREVENTIVE : Clean contaminated clothing before re-use. Use in well ventilated areas.

MEASURES

PERSONAL: Wear suitable protective clothing, eye protection and chemical resistant

PROTECTIVE gloves and mask with filter EB/P2

EQUIPMENT

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Clear yellow liquid

 ODOUR
 :
 Corrosive

 FLASH POINT
 :
 None

 pH
 :
 < 1</th>

 BOILING POINT
 :
 100 °C

 DENSITY (20°C)
 :
 1.1 - 1.2

SOLUBILITY: Miscible with water, not miscible with organic solvents

10. STABILITY AND REACTIVITY

STABILITY : Stable min 2 years at ambient temperature if stored in closed container,

REACTIVITY: Avoid contact with caustics and oxidising agents. Forms easily explosive

products in contact with metals.

HAZARDOUS: Thermal decomposition may yield the following:

DECOMPOSITION PRODUCTS

Dichloromethylether, Chlorine, Hydrogen, Hydrogen chloride

11. TOXICOLOGICAL INFORMATION

Information given is based on knowledge of the constituents and the toxicology of similar substances.

ORAL : Corrosive, short of breath, vomiting, blisters on lips and tongue.

LD50(rat) = 700 mg/kg

SKIN CONTACT: Corrosive, redness, pain, severe burns.

UNIMARINE SERVICES INC.

LD50(rabbit) = > 5 mg/kg

EYE CONTACT: Corrosive, loss of sight, severe burns.

INHALATION : Corrosive, throat ache, coughing, short of breath.

LC50(rat) = > 3000 mg/kg

12. ECOLOGICAL INFORMATION

Information given is based on knowledge of the constituents and the toxicology of similar substances.

Reduction of pH can disturb the biological equilibrium in the aquatic environment. Do not let down into the environment without thinning and neutralisation.

LC50(fish): 10 mg/l (24hr) EC80(daphnia): 56 mg/l (17-24hr)

13. DISPOSAL CONSIDERATIONS

Dispose of according to local regulations. Contaminated product is to be regarded as chemical waste.

14. TRANSPORT INFORMATION

Shipping Classification: UN1789, Hydrochloric Acid Solution, 8, II

ADR : 8.5b) **IMO** : 8/II

15. REGULATORY INFORMATION

 EG
 017-002-01x

 SYMBOL
 : Corrosive

 R-PHRASES
 : 34, 37

 S-PHRASES
 : 2, 26

16. OTHER INFORMATION

The information contained herein relates only to the specific material identified. Unimarine believes that such information is accurate and reliable as of the date of this material safety data sheet, but no representation, guarantee or warranty, express or implied, is made as to the accuracy, reliability, or completeness of the information. Unimarine urges persons receiving this information to make their own determination as to the information's suitability and completeness for their particular application.